

Angiopoietin 2 Antibody
Rabbit mAb
Catalog # AP91455**Specification****Angiopoietin 2 Antibody - Product Information**

Application	WB, IHC
Primary Accession	O15123
Reactivity	Rat
Clonality	Monoclonal
Other Names	
AGPT 2; Agpt2; ANG2; Angiopoietin 2a; Angiopoietin 2B; Angiopoietin2; ANGPT 2; Angpt2; Tie2 ligand;	
Isotype	Rabbit IgG
Host	Rabbit
Calculated MW	56919 Da

Angiopoietin 2 Antibody - Additional Information

Dilution	WB~~1:1000 IHC~~1:100~500
Purification	Affinity-chromatography
Immunogen	A synthesized peptide derived from human Angiopoietin 2
Description	Can induce tyrosine phosphorylation of TIE2. Binds to TIE2 receptor and counteracts blood vessel maturation/stability mediated by angiopoietin-1. Its function may be context-dependent.
Storage Condition and Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.

Angiopoietin 2 Antibody - Protein Information**Name** ANGPT2**Function**

Binds to TEK/TIE2, competing for the ANGPT1 binding site, and modulating ANGPT1 signaling (PubMed: [15284220](http://www.uniprot.org/citations/15284220)), PubMed: [19116766](http://www.uniprot.org/citations/19116766), PubMed: [19223473](http://www.uniprot.org/citations/19223473), PubMed: [9204896](http://www.uniprot.org/citations/9204896)). Can induce tyrosine phosphorylation of TEK/TIE2 in the absence of ANGPT1 (PubMed: [15284220](http://www.uniprot.org/citations/15284220), PubMed: [15284220](#)).

href="http://www.uniprot.org/citations/19116766" target="_blank">19116766, PubMed:19223473, PubMed:9204896). In the absence of angiogenic inducers, such as VEGF, ANGPT2-mediated loosening of cell-matrix contacts may induce endothelial cell apoptosis with consequent vascular regression. In concert with VEGF, it may facilitate endothelial cell migration and proliferation, thus serving as a permissive angiogenic signal (PubMed:15284220, PubMed:19116766, PubMed:19223473, PubMed:9204896). Involved in the regulation of lymphangiogenesis (PubMed:32908006).

Cellular Location


Secreted.

Angiopoietin 2 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Angiopoietin 2 Antibody - Images



Western blot analysis of Angiopoietin 2 expression in HUVEC cell lysate.