

COUP TF1 Antibody
Rabbit mAb
Catalog # AP91478**Specification**

COUP TF1 Antibody - Product Information

Application	WB, IHC, FC, ICC
Primary Accession	P10589
Reactivity	Rat
Clonality	Monoclonal
Other Names	
COUP-TF1; EAR3; ERBAL3; NR2F1; NR2F2; Nuclear receptor subfamily 2 group F member 1; SVP44; TCFCOUP1; TFCOUP1;	
Isotype	Rabbit IgG
Host	Rabbit
Calculated MW	46156 Da

COUP TF1 Antibody - Additional Information

Dilution	WB~~1:1000 IHC~~1:100~500 FC~~1:10~50 ICC~~N/A
Purification	Affinity-chromatography
Immunogen	A synthesized peptide derived from human COUP TF1
Description	Coup (chicken ovalbumin upstream promoter) transcription factor binds to the ovalbumin promoter and, in conjunction with another protein (S300-II) stimulates initiation of transcription. Binds to both direct repeats and palindromes of the 5'-AGGTCA-3' motif. Represses transcriptional activity of LHCG.
Storage Condition and Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.

COUP TF1 Antibody - Protein Information**Name** NR2F1**Synonyms** EAR3, ERBAL3, TFCOUP1**Function**

Coup (chicken ovalbumin upstream promoter) transcription factor binds to the ovalbumin

promoter and, in conjunction with another protein (S300-II) stimulates initiation of transcription. Binds to both direct repeats and palindromes of the 5'-AGGTCA-3' motif. Represses transcriptional activity of LHCG.


Cellular Location

Nucleus.

COUP TF1 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

COUP TF1 Antibody - Images

Western blot analysis of COUP TF1 expression in HEK293 cell lysate.