

TRPM7 Antibody
Rabbit mAb
Catalog # AP91591**Specification****TRPM7 Antibody - Product Information**

Application	WB, FC, ICC
Primary Accession	O96QT4
Reactivity	Rat
Clonality	Monoclonal
Other Names	
ALSPDC; CHAK; CHAK1; LTrpC7; TRPM7;	

Isotype	Rabbit IgG
Host	Rabbit
Calculated MW	212697 Da

TRPM7 Antibody - Additional Information

Dilution	WB~~1:1000 FC~~1:10~50 ICC~~N/A
Purification	Affinity-chromatography
Immunogen	A synthesized peptide derived from human TRPM7
Description	Essential ion channel and serine/threonine-protein kinase. Divalent cation channel permeable to calcium and magnesium. Has a central role in magnesium ion homeostasis and in the regulation of anoxic neuronal cell death. Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.
Storage Condition and Buffer	

TRPM7 Antibody - Protein Information**Name** TRPM7**Synonyms** CHAK1, LTRPC7 {ECO:0000303|PubMed:113855**Function**

Bifunctional protein that combines an ion channel with an intrinsic kinase domain, enabling it to modulate cellular functions either by conducting ions through the pore or by phosphorylating downstream proteins via its kinase domain. The channel is highly permeable to divalent cations, specifically calcium (Ca²⁺), magnesium (Mg²⁺) and zinc (Zn²⁺) and mediates their influx (PubMed:11385574),

PubMed:12887921,
PubMed:15485879,
PubMed:24316671,
PubMed:35561741,
PubMed:36027648).
Controls a wide range of biological processes such as Ca²⁺(+), Mg²⁺(+) and Zn²⁺(+) homeostasis,
vesicular Zn²⁺(+) release channel and intracellular Ca²⁺(+) signaling, embryonic development,
immune responses, cell motility, proliferation and differentiation (By similarity). The C-terminal
alpha-kinase domain autophosphorylates cytoplasmic residues of TRPM7 (PubMed:18365021). In vivo,
TRPM7 phosphorylates SMAD2, suggesting that TRPM7 kinase may play a role in activating SMAD
signaling pathways. In vitro, TRPM7 kinase phosphorylates ANXA1 (annexin A1), myosin II isoforms
and a variety of proteins with diverse cellular functions (PubMed:15485879, PubMed:18394644).

Cellular Location


Cell membrane; Multi-pass membrane protein {ECO:0000250|UniProtKB:Q923J1}. Cytoplasmic
vesicle membrane {ECO:0000250|UniProtKB:Q923J1}; Multi-pass membrane protein
{ECO:0000250|UniProtKB:Q923J1}. Note=Localized largely in intracellular Zn²⁺(+)-storage
vesicles. {ECO:0000250|UniProtKB:Q923J1}

TRPM7 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

TRPM7 Antibody - Images



Western blot analysis of TRPM7 expression in HeLa cell lysate.