

BCLG Antibody
Rabbit mAb
Catalog # AP92644**Specification**

BCLG Antibody - Product Information

Application	WB, IHC, FC, ICC, IP
Primary Accession	Q9BZR8
Reactivity	Rat
Clonality	Monoclonal
Other Names	
Apoptosis facilitator Bcl 2 like protein 14; Apoptosis regulator BCL G; Bcl2 L 14; BCL2 like 14; BCL2L14; BCLG; testicular tissue protein Li 26;	
Isotype	Rabbit IgG
Host	Rabbit
Calculated MW	36598 Da

BCLG Antibody - Additional Information

Dilution	WB~~1:1000 IHC~~1:100~500 FC~~1:10~50 ICC~~N/A IP~~N/A
Purification	Affinity-chromatography
Immunogen	A synthesized peptide derived from BCLG
Description	Plays a role in apoptosis.
Storage Condition and Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.

BCLG Antibody - Protein Information**Name** BCL2L14**Synonyms** BCLG**Function**

Plays a role in apoptosis.

Cellular Location

Cytoplasm. [Isoform 2]: Endomembrane system. Note=Predominantly localized to cytosolic organelles

Tissue Location


Isoform 1 is widely expressed. Isoform 2 is testis- specific.

BCLG Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

BCLG Antibody - Images



Western blot analysis of BCLG expression in (1) HeLa cell lysate; (2) NIH/3T3 cell lysate; (3) PC12 cell lysate.