

## Aldh3A1 Antibody

Catalog # ASC10759

## **Specification**

## **Aldh3A1 Antibody - Product Information**

Application
Primary Accession
Other Accession
Reactivity
Host
Clonality
Isotype

**Application Notes** 

P30838 NP\_000682, 22907049 Human, Mouse, Rat Rabbit Polyclonal

IgG

WB. E

Aldh3A1 antibody can be used for

detection of Aldh3A1 by Western blot at 1 -

2 μg/mL.

### **Aldh3A1 Antibody - Additional Information**

Gene ID 218

Target/Specificity

ALDH3A1; At least two isoforms of Aldh3A1 are known to exist. This antibody is predicted to have no cross-reactivity to Aldh3A2.

#### **Reconstitution & Storage**

Aldh3A1 antibody can be stored at  $4^{\circ}$ C for three months and  $-20^{\circ}$ C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.

#### **Precautions**

Aldh3A1 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

## Aldh3A1 Antibody - Protein Information

Name ALDH3A1

Synonyms ALDH3

#### **Function**

ALDHs play a major role in the detoxification of alcohol- derived acetaldehyde (Probable). They are involved in the metabolism of corticosteroids, biogenic amines, neurotransmitters, and lipid peroxidation (Probable). Oxidizes medium and long chain aldehydes into non-toxic fatty acids (PubMed:<a href="http://www.uniprot.org/citations/1737758" target="\_blank">1737758</a>). Preferentially oxidizes aromatic aldehyde substrates (PubMed:<a href="http://www.uniprot.org/citations/1737758" target=" blank">1737758</a>). Comprises

href="http://www.uniprot.org/citations/1737758" target="\_blank">1737758</a>). Comprises about 50 percent of corneal epithelial soluble proteins (By similarity). May play a role in preventing corneal damage caused by ultraviolet light (By similarity).

# **Cellular Location**



Cytoplasm {ECO:0000250|UniProtKB:P47739}.

#### **Tissue Location**


High levels in stomach, esophagus and lung; low level in the liver and kidney

### Aldh3A1 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

# Aldh3A1 Antibody - Images



Western blot analysis of Aldh3A1 in human stomach lysate with Aldh3A1 antibody at (A) 1 and (B)  $2 \mu g/mL$ .

# Aldh3A1 Antibody - Background

Aldh3A1 Antibody: Aldh3A1 is a member of the aldehyde dehydrogenase superfamily, a group of NAD(P)(+)-dependent enzymes that catalyze the oxidation of a wide spectrum of aliphatic and aromatic aldehydes. Aldh3A1 is highly expressed in stomach and even more strongly in cornea, representing between 5 to 50% of the water soluble protein fraction in mammalian corneas. It is thought that Aldh3A1 acts to protect the cornea from UV-induced oxidative stress by not only detoxification of reactive aldehydes by also through the direct absorbtion of UV energy. However, corneas from Aldh3A1-null mice are indistinguishable from those from wild-type mice; mice lacking both Aldh3A1 and Aldh1A1 showed increased cataract formation following UVB exposure, suggesting that Aldh1A1 may be able to compensate for the loss of Aldh3A1.

### Aldh3A1 Antibody - References

Vasiliou V and Pappa A. Polymorphisms of human aldehyde dehydrogenases. Consequences for drug metabolism and disease. Pharmacology2000; 61:192-8.
Hsu LC, Chang WC, Shibuya A, et al. Human stomach aldehyde dehydrogenase cDNA and genomic







cloning, primary structure, and expression in Escheria coli. J. Biol. Chem.1992; 267:3030-7. Pappa A, Sophos NA and Vasiliou V. Corneal and Stomach expression of aldehyde dehydrogenases: from fish to mammals. Chem. Biol. Interact.2001; 130:181-91.

Estey T, Cantore M, Weston PA, et al. Mechanisms involved in the protection of UV-induced protein inactivation by the corneal crystallin ALDH3A1. J. Biol. Chem.2007; 282:4382-92.