

Anti-Goat IgG F(ab')2 Secondary Antibody

Rabbit Polyclonal, Unconjugated Catalog # ASR1388

Specification

Anti-Goat IgG F(ab')2 Secondary Antibody - Product Information

Description

- Host Conjugate Target Species Clonality Application Application Note
- Physical State Host Isotype Target Isotype Buffer
- Immunogen Stabilizer Preservative

Anti-GOAT IgG F(ab')2 (RABBIT) Antibody Rabbit Unconjugated Goat Polyclonal WB, E, IC ELISA 1:275,000;Western Blot 1:5,000-1:25,000;Immunochemistry 1:1,000-1:5,000 Liquid (sterile filtered) laG IgG F(ab')2 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Goat IgG F(ab')2 fragment None 0.01% (w/v) Sodium Azide

Anti-Goat IgG F(ab')2 Secondary Antibody - Additional Information

Shipping Condition Wet Ice

Purity

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Goat IgG coupled to agarose beads. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Rabbit Serum, Goat IgG, Goat IgG F(ab')2 and Goat Serum. No reaction was observed against Goat IgG F(c).

Storage Condition

Store vial at 4° C prior to opening. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing.

Precautions Note This product is for research use only and is not intended for therapeutic or diagnostic applications.

Anti-Goat IgG F(ab')2 Secondary Antibody - Protein Information



Anti-Goat IgG F(ab')2 Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

Anti-Goat IgG F(ab')2 Secondary Antibody - Images