

#### Anti-Mouse IgG (H&L) Pre-Adsorbed Secondary Antibody Goat Polyclonal, Unconjugated Catalog # ASR1614

## Specification

## Anti-Mouse IgG (H&L) Pre-Adsorbed Secondary Antibody - Product Information

Description

Host Conjugate Target Species Clonality Application Application Note

Physical State Host Isotype Target Isotype Buffer

Immunogen Stabilizer Preservative Anti-MOUSE IgG (H&L) (GOAT) Antibody (Min X Human Serum Proteins) Goat Unconjugated Mouse Polyclonal WB, E, IC ELISA 1:100,000-1:500,000;Western Blot 1:10,000-1:50,000;Immunochemistry 1:5,000-1:25,000 Liquid (sterile filtered) laG IgG (H&L) 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Mouse IgG whole molecule None 0.01% (w/v) Sodium Azide

## Anti-Mouse IgG (H&L) Pre-Adsorbed Secondary Antibody - Additional Information

Shipping Condition Wet Ice

**Purity** 

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Mouse IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum, Mouse IgG and Mouse Serum. No reaction was observed against Human Serum Proteins. Specificity was confirmed using ELISA at less than 1% cross reactivity against Human IgG.

#### Storage Condition

Store vial at 4° C prior to opening. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing.

**Precautions Note** 

This product is for research use only and is not intended for therapeutic or diagnostic applications.

## Anti-Mouse IgG (H&L) Pre-Adsorbed Secondary Antibody - Protein Information



# Anti-Mouse IgG (H&L) Pre-Adsorbed Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-Mouse IgG (H&L) Pre-Adsorbed Secondary Antibody - Images