

## Anti-Ferret IgG (gamma chain) Secondary Antibody

Goat Polyclonal, Unconjugated Catalog # ASR1733

### **Specification**

## Anti-Ferret IgG (gamma chain) Secondary Antibody - Product Information

Description Anti-FERRET IgG (gamma chain) (GOAT)

Antibody Goat

Host Goat
Conjugate Unconjugated
Target Species Earnet

Target Species Ferret
Clonality Polyclonal
Application WB, E

Application Note ELISA 1:2,000-1:10,000; Western Blot

1:500-1:2,000

Physical State Liquid (sterile filtered)

Host Isotype IgG

Target Isotype IgG (gamma chain)

Buffer 0.125 M Sodium Borate, 0.075 M Sodium

Chloride, 0.005 M EDTA, pH 8.0

Immunogen Ferret IgG gamma heavy chain

Stabilizer None

Preservative 0.01% (w/v) Sodium Azide

### Anti-Ferret IgG (gamma chain) Secondary Antibody - Additional Information

### **Shipping Condition**

Wet Ice

#### **Purity**

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Ferret IgM coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum, Ferret IgG and Ferret Serum. No reaction was observed against Ferret IgM or Ferret IgA. Specificity was confirmed by ELISA at less than 1% cross reactivity against other Ferret heavy or light chain isotypes.

# **Storage Condition**

Store vial at 4° C prior to opening. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing.

## **Precautions Note**

This product is for research use only and is not intended for therapeutic or diagnostic applications.

# Anti-Ferret IgG (gamma chain) Secondary Antibody - Protein Information





Tel: 858.875.1900 Fax: 858.875.1999

# Anti-Ferret IgG (gamma chain) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Anti-Ferret IgG (gamma chain) Secondary Antibody - Images