

### Anti-Human IgG (H&L) (Peroxidase Conjugated) Secondary Antibody

Rabbit Polyclonal, Peroxidase (Horseradish)
Catalog # ASR1793

#### **Specification**

**Physical State** 

### Anti-Human IgG (H&L) (Peroxidase Conjugated) Secondary Antibody - Product Information

Description Anti-HUMAN IgG (H&L) (RABBIT) Antibody

**Peroxidase Conjugated** 

Host Rabbit

Conjugate Peroxidase (Horseradish)

Target Species Human
Reactivity Human
Clonality Polyclonal
Application WB, E, IC

Application Note ELISA 1:130,000; Western Blot

1:5,000-1:25,000;Immunochemistry

1:1,000-1:5,000 Lyophilized

Host Isotype IgG
Target Isotype IgG

Target Isotype IgG (H&L)
Buffer 0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2

Immunogen Anti-Human IgG whole molecule was

produced by repeated immunization with Human IgG whole molecule in rabbit.

Reconstitution Volume 1.0 mL

Reconstitution Buffer Restore with deionized water (or

equivalent)

Stabilizer 10 mg/mL Bovine Serum Albumin (BSA) -

Immunoglobulin and Protease free

Preservative 0.01% (w/v) Gentamicin Sulfate. Do NOT

add Sodium Azide!

# Anti-Human IgG (H&L) (Peroxidase Conjugated) Secondary Antibody - Additional Information

### **Shipping Condition**

**Ambient** 

#### **Purity**

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Human IgG coupled to agarose beads. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Rabbit Serum, Human IgG and Human Serum.

#### **Storage Condition**

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.



**Precautions Note** 

This product is for research use only and is not intended for therapeutic or diagnostic applications.

## Anti-Human IgG (H&L) (Peroxidase Conjugated) Secondary Antibody - Protein Information

### Anti-Human IgG (H&L) (Peroxidase Conjugated) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Anti-Human IgG (H&L) (Peroxidase Conjugated) Secondary Antibody - Images

Anti-Human IgG (H&L) (Peroxidase Conjugated) Secondary Antibody - Background

Anti-Human IgG whole molecule antibody generated in rabbit detects specifically human IgG whole molecule. This secondary antibody anti-Human is ideal for investigators who routinely perform ELISA, Sandwich ELISA, titration assays, western-blot, immunoprecipitation and more generally immunoassays.