

Anti-Mouse IgG (H&L) (Biotin Conjugated) Secondary Antibody Rabbit Polyclonal, Biotin Catalog # ASR1810

Specification

Anti-Mouse IgG (H&L) (Biotin Conjugated) Secondary Antibody - Product Information

Description

Host Conjugate FP Value Target Species Reactivity Clonality Application Application Note

Physical State Host Isotype Target Isotype Buffer

Immunogen Reconstitution Volume Reconstitution Buffer

Stabilizer

Preservative

Anti-MOUSE IgG (H&L) (RABBIT) Antibody **Biotin Conjugated Rabbit** Biotin 10-20 moles Biotin per mole of IgG Mouse Mouse Polyclonal WB, E, IC ELISA 1:300,000;Western Blot 1:2,000-1:10,000;Immunochemistry 1:1.000-1:5.000 Lyophilized lgG IgG (H&L) 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Mouse IgG whole molecule 1.0 mL Restore with deionized water (or equivalent) 10 mg/mL Bovine Serum Albumin (BSA) -Immunoglobulin and Protease free 0.01% (w/v) Sodium Azide

Anti-Mouse IgG (H&L) (Biotin Conjugated) Secondary Antibody - Additional Information

Shipping Condition Ambient

Purity

Secondary Antibody was prepared from monospecific antiserum by immunoaffinity chromatography using Mouse IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti-Rabbit Serum, Mouse IgG and Mouse Serum.

Storage Condition

Store secondary antibody at 4° C prior to restoration. For extended storage aliquot antibody and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.



Anti-Mouse IgG (H&L) (Biotin Conjugated) Secondary Antibody - Protein Information

Anti-Mouse IgG (H&L) (Biotin Conjugated) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- <u>Immunofluorescence</u>
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

Anti-Mouse IgG (H&L) (Biotin Conjugated) Secondary Antibody - Images

Anti-Mouse IgG (H&L) (Biotin Conjugated) Secondary Antibody - Background

Mouse secondary antibody conjugated to biotin is available in a variety of formats. Anti-IgG Secondary Antibody conjugate is Suitable for western blot, ELISA and immunohistochemistry as well as other antibody based assays requiring lot-to-lot consistency.