

# Anti-Human IgG F(c) (Fluorescein Conjugated) Pre-Adsorbed Secondary Antibody Goat Polyclonal, Fluorescein (FITC) Catalog # ASR1917

## **Specification**

**Target Species** 

**Physical State** 

Target Isotype

Host Isotype

Immunogen

Reconstitution Volume

Reconstitution Buffer

Clonality

Application

# Anti-Human IgG F(c) (Fluorescein Conjugated) Pre-Adsorbed Secondary Antibody - Product Information

Description Anti-HUMAN IgG F(c) (GOAT) Antibody

Fluorescein Conjugated Min X MOUSE

**Serum Proteins** 

Host Goat

Conjugate Fluorescein (FITC)

FP Value 3.7 moles Fluorescein (FITC) per mole of

IgG Human Polyclonal IF, FC

Application Note FLISA 1:10,000-1:50,000;IF Microscopy

1:1,000-1:5,000;FlowCytometry

1:500-1:2,500 Lyophilized

lgG lgG F(c)

Buffer 0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2 Human IgG F(c) fragment

1.0 mL

Restore with deionized water (or

equivalent)

Stabilizer 10 mg/mL Bovine Serum Albumin (BSA) -

Immunoglobulin and Protease free

Preservative 0.01% (w/v) Sodium Azide

# Anti-Human IgG F(c) (Fluorescein Conjugated) Pre-Adsorbed Secondary Antibody - Additional Information

## **Shipping Condition**

Ambient

## **Purity**

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Human IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Fluorescein, anti-Goat Serum, Human IgG, Human IgG F(c) and Human Serum. No reaction was observed against Human IgG F(ab')2 or Mouse Serum Proteins.

#### **Storage Condition**

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted



liquid. Dilute only prior to immediate use.

### **Precautions Note**

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Anti-Human IgG F(c) (Fluorescein Conjugated) Pre-Adsorbed Secondary Antibody - Protein Information

Anti-Human IgG F(c) (Fluorescein Conjugated) Pre-Adsorbed Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Anti-Human IgG F(c) (Fluorescein Conjugated) Pre-Adsorbed Secondary Antibody - Images

Anti-Human IgG F(c) (Fluorescein Conjugated) Pre-Adsorbed Secondary Antibody - Background

This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms.