

Anti-Bovine IgG F(ab')2 (Texas Red[™] Conjugated) Secondary Antibody Rabbit Polyclonal, Texas Red[®] Catalog # ASR2148

Specification

Anti-Bovine IgG F(ab')2 (Texas Red[™] Conjugated) Secondary Antibody - Product Information

Description

- Host Conjugate FP Value Target Species Clonality Application Application Note
- Physical State Host Isotype Target Isotype Buffer

Immunogen Reconstitution Volume Reconstitution Buffer

Stabilizer Preservative Anti-BOVINE lgG F(ab')2 (RABBIT) Antibody Texas Red[™] Conjugated Rabbit **Texas Red**® 3.4 moles Texas Red® per mole of IgG **Bovine** Polyclonal IF, FC FLISA 1:10,000-1:50,000;IF Microscopy 1:1,000-1:5,000;FlowCytometry 1:500-1:2,500 Lyophilized lqG IgG F(ab')2 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Bovine IgG F(ab')2 fragment 1.0 mL Restore with deionized water (or equivalent) 10 mg/ml Polyethylene Glycol (PEG-8000) 0.01% (w/v) Sodium Azide

Anti-Bovine IgG F(ab')2 (Texas Red[™] Conjugated) Secondary Antibody - Additional Information

Shipping Condition Ambient

Purity

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Bovine IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Rabbit Serum, Bovine IgG, Bovine IgG F(ab')2 and Bovine Serum. No reaction was observed against Bovine IgG F(c).

Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Precautions Note



This product is for research use only and is not intended for therapeutic or diagnostic applications.

Anti-Bovine IgG F(ab')2 (Texas Red[™] Conjugated) Secondary Antibody - Protein Information

Anti-Bovine IgG F(ab')2 (Texas Red[™] Conjugated) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

Anti-Bovine IgG F(ab')2 (Texas Red[™] Conjugated) Secondary Antibody - Images

Anti-Bovine IgG F(ab')2 (Texas Red[™] Conjugated) Secondary Antibody - Background

This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms.