

### Anti-Sheep IgG F(ab')2 (Biotin Conjugated) Secondary Antibody Rabbit Polyclonal, Biotin Catalog # ASR2365

### Specification

### Anti-Sheep IgG F(ab')2 (Biotin Conjugated) Secondary Antibody - Product Information

Description

Host Conjugate Target Species Clonality Application Application Note

Physical State Host Isotype Target Isotype Buffer

Immunogen Reconstitution Volume Reconstitution Buffer

Stabilizer

Preservative

Anti-SHEEP IgG F(ab')2 (RABBIT) **Antibody Biotin Conjugated Rabbit** Biotin Sheep Polyclonal WB, E, IC ELISA 1:20,000-1:100,000;Western Blot 1:2,000-1:10,000;Immunochemistry 1:1,000-1:5,000 Lyophilized laG IgG F(ab')2 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Sheep IgG F(ab')2 fragment 1.0 mL Restore with deionized water (or equivalent) 10 mg/mL Bovine Serum Albumin (BSA) -**Immunoglobulin and Protease free** 0.01% (w/v) Sodium Azide

## Anti-Sheep IgG F(ab')2 (Biotin Conjugated) Secondary Antibody - Additional Information

Shipping Condition Ambient

#### **Purity**

This product was prepared from monospecific antiserum by immunoaffinity chromato-graphy using Sheep IgG coupled to agarose beads followed by solid phase adsorption(s) to remove unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti-Rabbit Serum, Sheep IgG, Sheep IgG F(ab')2 and Sheep Serum. No reaction was observed against Sheep IgG F(c).

#### **Storage Condition**

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

#### **Precautions Note**

This product is for research use only and is not intended for therapeutic or diagnostic applications.



# Anti-Sheep IgG F(ab')2 (Biotin Conjugated) Secondary Antibody - Protein Information

## Anti-Sheep IgG F(ab')2 (Biotin Conjugated) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

# Anti-Sheep IgG F(ab')2 (Biotin Conjugated) Secondary Antibody - Images