

Anti-Rabbit IgM (mu) (Peroxidase Conjugated) Secondary Antibody

Goat Polyclonal, Peroxidase (Horseradish) Catalog # ASR2931

Specification

Physical State

Host Isotype

Anti-Rabbit IgM (mu) (Peroxidase Conjugated) Secondary Antibody - Product Information

Description Anti-RABBIT IgM (mu) (GOAT) Antibody

Peroxidase Conjugated

Host Goat

Peroxidase (Horseradish) Conjugate

Target Species Rabbit Reactivity Rabbit Clonality **Polyclonal** Application WB, E, IC

Application Note ELISA 1:20,000; Western Blot

1:1,000-1:10,000; Immunochemistry

1:500-1:2.500 Lvophilized

laG

Target Isotype IgM μ chain

Buffer 0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2

Immunogen Anti-Rabbit IgM (mu) was produced by

repeated immunization with rabbit IgM mu

heavy chain in goat.

Reconstitution Volume 2.0 mL

Reconstitution Buffer Restore with deionized water (or

equivalent)

Stabilizer 10 mg/mL Bovine Serum Albumin (BSA) -

Immunoglobulin and Protease free

Preservative 0.01% (w/v) Gentamicin Sulfate. Do NOT

add Sodium Azide!

Anti-Rabbit IgM (mu) (Peroxidase Conjugated) Secondary Antibody - Additional Information

Shipping Condition

Ambient

Purity

This product is an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by cross adsorption to remove any unwanted reactivities and extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Goat Serum, Rabbit IgM and Rabbit Serum. No reaction was observed against Rabbit IgG.

Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after



Tel: 858.875.1900 Fax: 858.875.1999

standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Anti-Rabbit IgM (mu) (Peroxidase Conjugated) Secondary Antibody - Protein Information

Anti-Rabbit IgM (mu) (Peroxidase Conjugated) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-Rabbit IgM (mu) (Peroxidase Conjugated) Secondary Antibody - Images

Anti-Rabbit IgM (mu) (Peroxidase Conjugated) Secondary Antibody - Background

Anti-Rabbit IgM (mu) peroxidase conjugated antibody generated in goat detects specifically rabbit IgM (mu). This secondary peroxidase conjugated antibody anti-Rabbit is ideal for investigators who routinely perform titration assays, western-blot, immunoprecipitation and more generally immunoassays.