

F(ab&apos:)2 Anti-MOUSE lgG lgA lgM

F(ab')2 Anti-Mouse IgG IgA IgM (H&L) (Texas Red<sup>™</sup> Conjugated) Pre-Adsorbed Secondary Antibody

Goat Polyclonal, Texas Red® Catalog # ASR3021

#### Specification

### F(ab')2 Anti-Mouse IgG IgA IgM (H&L) (Texas Red<sup>™</sup> Conjugated) Pre-Adsorbed Secondary Antibody - Product Information

Description

Description	
	(H&L) (GOAT) Antibody Texas Red™
	Conjugated Min X Human Serum Proteins
Host	Goat
Conjugate	Texas Red®
FP Value	3.0 moles Texas Red® per mole of IgG
	F(ab')2
Target Species	Mouse
Clonality	Polyclonal
Application	IF, FC
Application Note	FLISA 1:10,000-1:50,000;IF Microscopy
	1:1,000-1:5,000;FlowCytometry
	1:500-1:2,500
Physical State	Lyophilized
Host Isotype	lgG F(ab')2
Target Isotype	IgG IgA IgM
Buffer	0.02 M Potassium Phosphate, 0.15 M
	Sodium Chloride, pH 7.2
Immunogen	Mouse IgG IgA and IgM whole molecule
Reconstitution Volume	1.0 mL
Reconstitution Buffer	Restore with deionized water (or
	equivalent)
Stabilizer	10 mg/mL Bovine Serum Albumin (BSA) -
Stabilizer	Immunoglobulin and Protease free
Preservative	0.01% (w/v) Sodium Azide
	GIGT /0 (W/V) Sourdin Aziac

# F(ab')2 Anti-Mouse IgG IgA IgM (H&L) (Texas Red<sup>™</sup> Conjugated) Pre-Adsorbed Secondary Antibody - Additional Information

Shipping Condition Ambient

**Purity** 

This product was prepared from polyspecific antiserum by immunoaffinity chromatography using antigens coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum. No reaction was observed against anti-Goat IgG F(c), anti-Pepsin or Human Serum Proteins. This product is suitable for the detection of all Human immunoglobulin classes, isotypes and chain combinations.

#### Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C



or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

## F(ab')2 Anti-Mouse IgG IgA IgM (H&L) (Texas Red<sup>™</sup> Conjugated) Pre-Adsorbed Secondary Antibody - Protein Information

## F(ab')2 Anti-Mouse IgG IgA IgM (H&L) (Texas Red™ Conjugated) Pre-Adsorbed Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- <u>Blocking Peptides</u>
- <u>Dot Blot</u>
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

# F(ab')2 Anti-Mouse IgG IgA IgM (H&L) (Texas Red™ Conjugated) Pre-Adsorbed Secondary Antibody - Images

# F(ab')2 Anti-Mouse IgG IgA IgM (H&L) (Texas Red<sup>™</sup> Conjugated) Pre-Adsorbed Secondary Antibody - Background

This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms.