

Anti-Human IgG (gamma chain) (Peroxidase Conjugated) Secondary Antibody

Goat Polyclonal, Peroxidase (Horseradish) Catalog # ASR3048

Specification

Anti-Human IgG (gamma chain) (Peroxidase Conjugated) Secondary Antibody - Product Information

Description Host Conjugate Target Species Clonality Application Application Note	Anti-HUMAN IgG (gamma chain) (GOAT) Antibody Peroxidase Conjugated Goat Peroxidase (Horseradish) Human Polyclonal WB, E, IC ELISA 1:10,000-1:50,000;Western Blot 1:2,000-1:10,000;Immunochemistry
Physical State Host Isotype Target Isotype Buffer	1:500-1:1,000 Lyophilized IgG IgG (gamma chain) 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Immunogen Reconstitution Volume Reconstitution Buffer	Human IgG gamma heavy chain 1.0 mL Restore with deionized water (or equivalent)
Stabilizer Preservative	10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free 0.01% (w/v) Gentamicin Sulfate. Do NOT add Sodium Azide!

Anti-Human IgG (gamma chain) (Peroxidase Conjugated) Secondary Antibody - Additional Information

Shipping Condition Ambient

Purity

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Human IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Goat Serum, Human IgG and Human Serum. Specificity was confirmed by ELISA minimal cross reactivity against other human heavy or light chain isotypes.

Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.



Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Anti-Human IgG (gamma chain) (Peroxidase Conjugated) Secondary Antibody - Protein Information

Anti-Human IgG (gamma chain) (Peroxidase Conjugated) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- <u>Blocking Peptides</u>
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

Anti-Human IgG (gamma chain) (Peroxidase Conjugated) Secondary Antibody - Images