

### F(ab')2 Anti-Dog IgG F(ab')2 (Fluorescein Conjugated) Secondary Antibody

Rabbit Polyclonal, Fluorescein (FITC)
Catalog # ASR3440

#### **Specification**

**Physical State** 

# F(ab')2 Anti-Dog IgG F(ab')2 (Fluorescein Conjugated) Secondary Antibody - Product Information

Description F(ab')2 Anti-DOG IgG F(ab')2

(RABBIT) Antibody Fluorescein Conjugated

Host Rabbit

Conjugate Fluorescein (FITC)

Target Species
Clonality
Application
Dog
Polyclonal
IF, FC

Application Note FLISA 1:10,000-1:50,000; IF Microscopy

1:1,000-1:5,000;FlowCytometry

1:500-1:2,500 Lyophilized IgG F(ab')2

Host Isotype IgG F(ab')2
Target Isotype IgG F(ab')2

Buffer 0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2

Immunogen Dog IgG F(ab')2 fragment

Reconstitution Volume 2.0 mL

Reconstitution Buffer Restore with deionized water (or

equivalent)

## F(ab')2 Anti-Dog IgG F(ab')2 (Fluorescein Conjugated) Secondary Antibody - Additional Information

#### **Shipping Condition**

**Ambient** 

#### **Purity**

This product is a F(ab')2 fragment of an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation, ion exchange chromatography and pepsin digestion followed by extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Rabbit Serum, Dog IgG, Dog IgG F(ab')2 and Dog Serum. No reaction was observed against Dog IgG F(c), anti-Rabbit IgG F(c) or anti-Pepsin.

#### **Storage Condition**

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

#### **Precautions Note**

This product is for research use only and is not intended for therapeutic or diagnostic applications.



### F(ab')2 Anti-Dog IgG F(ab')2 (Fluorescein Conjugated) Secondary Antibody - Protein Information

#### F(ab')2 Anti-Dog IgG F(ab')2 (Fluorescein Conjugated) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

F(ab')2 Anti-Dog IgG F(ab')2 (Fluorescein Conjugated) Secondary Antibody - Images

F(ab')2 Anti-Dog IgG F(ab')2 (Fluorescein Conjugated) Secondary Antibody - Background

This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms.