

**Anti-Procalcitonin (MOUSE) Monoclonal Antibody**  
**Procalcitonin (22C1.C7.C6.B8.B7.G8) Antibody**  
**Catalog # ASR4278****Specification**

---

**Anti-Procalcitonin (MOUSE) Monoclonal Antibody - Product Information**

|                  |                                                                                                                                                     |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| Host             | Mouse Balb/c                                                                                                                                        |
| Conjugate        | Unconjugated                                                                                                                                        |
| Target Species   | Human                                                                                                                                               |
| Reactivity       | Human                                                                                                                                               |
| Clonality        | Monoclonal                                                                                                                                          |
| Application      | WB, E, I, LCI                                                                                                                                       |
| Application Note | Anti-Procalcitonin [22C1.C7] antibody was tested by ELISA and Western Blot. Specific conditions for reactivity should be optimized by the end user. |
| Physical State   | Liquid (sterile filtered)                                                                                                                           |
| Buffer           | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2                                                                                          |
| Immunogen        | Procalcitonin Antibody was produced in mice prepared by repeated immunizations with full-length recombinant human Procalcitonin protein.            |
| Preservative     | 0.01% (w/v) Sodium Azide                                                                                                                            |

**Anti-Procalcitonin (MOUSE) Monoclonal Antibody - Additional Information****Gene ID** 796**Purity**

Anti-Procalcitonin Antibody was purified from concentrated tissue culture supernate by Protein A chromatography. This antibody is specific for human Procalcitonin. Cross-reactivity with Procalcitonin from other sources has not been determined.

**Storage Condition**

Store vial at -20° C prior to opening. Aliquot contents and freeze at -20° C or below for extended storage. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

**Precautions Note**

This product is for research use only and is not intended for therapeutic or diagnostic applications.

**Anti-Procalcitonin (MOUSE) Monoclonal Antibody - Protein Information****Name** CALCA ([HGNC:1437](#))**Synonyms** CALC1

**Function**

CGRP1/CALCA is a peptide hormone that induces vasodilation mediated by the CALCRL-RAMP1 receptor complex (PubMed:<a href="http://www.uniprot.org/citations/1318039" target="\_blank">1318039</a>, PubMed:<a href="http://www.uniprot.org/citations/33602864" target="\_blank">33602864</a>, PubMed:<a href="http://www.uniprot.org/citations/9620797" target="\_blank">9620797</a>). Dilates a variety of vessels including the coronary, cerebral and systemic vasculature. Its abundance in the CNS also points toward a neurotransmitter or neuromodulator role (PubMed:<a href="http://www.uniprot.org/citations/3492492" target="\_blank">3492492</a>). It also elevates platelet cAMP (PubMed:<a href="http://www.uniprot.org/citations/1318039" target="\_blank">1318039</a>). CGRP1 can also bind and activate CALCRL-RAMP1 (AMYR1) receptor complex (PubMed:<a href="http://www.uniprot.org/citations/38603770" target="\_blank">38603770</a>).

**Cellular Location**

Secreted.


**Tissue Location**

Expressed in spinal cord.

**Anti-Procalcitonin (MOUSE) Monoclonal Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**Anti-Procalcitonin (MOUSE) Monoclonal Antibody - Images**

Western Blot of Mouse Anti-Procalcitonin antibody. Lane 1: MW. Lane 2: Procalcitonin Protein. Load: 5 µg per lane. Primary antibody: Procalcitonin antibody at NEAT overnight at 4°C. Secondary antibody: HRP Mouse IgG secondary antibody at 1:40,000 for 30 min at RT. Block: MB-070 overnight at 4°C. Predicted/Observed size: 13.9 kDa.

**Anti-Procalcitonin (MOUSE) Monoclonal Antibody - Background**

Anti-Procalcitonin antibody detects human Procalcitonin. Procalcitonin is a peptide hormone mainly

produced by the C cells of the thyroid and certain endocrine cells of the lung. Under normal expression conditions, procalcitonin is immediately cleaved into three specific fragments, a N terminal residue, calcitonin and katacalcin. Levels of unprocessed procalcitonin rise significantly after bacterial infection, trauma or shock. This gene encodes the peptide hormones calcitonin, calcitonin gene-related peptide and katacalcin by tissue-specific alternative RNA splicing of the gene transcripts and cleavage of inactive precursor proteins. Calcitonin is involved in calcium regulation and acts to regulate phosphorus metabolism. Calcitonin gene-related peptide functions as a vasodilator while katacalcin is a calcium-lowering peptide. Multiple transcript variants encoding different isoforms have been found for this gene.