

## CTNS Antibody (monoclonal) (M09)

Mouse monoclonal antibody raised against a partial recombinant CTNS.

Catalog # AT1679a

### Specification

---

#### CTNS Antibody (monoclonal) (M09) - Product Information

Application	WB, E
Primary Accession	<a href="#">O60931</a>
Other Accession	<a href="#">NM_004937</a>
Reactivity	Human, Mouse, Rat
Host	mouse
Clonality	Monoclonal
Isotype	IgG2a Kappa
Calculated MW	41738

#### CTNS Antibody (monoclonal) (M09) - Additional Information

**Gene ID** 1497

#### Other Names

Cystinosin, CTNS

#### Target/Specificity

CTNS (NP\_004928, 1 a.a. ~ 100 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

#### Dilution

WB~~1:500~1000

E~~N/A

#### Format

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

#### Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

#### Precautions

CTNS Antibody (monoclonal) (M09) is for research use only and not for use in diagnostic or therapeutic procedures.


#### CTNS Antibody (monoclonal) (M09) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)

- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


### CTNS Antibody (monoclonal) (M09) - Images




Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.74 KDa) .




CTNS monoclonal antibody (M09), clone 5G6. Western Blot analysis of CTNS expression in human liver.




CTNS monoclonal antibody (M09), clone 5G6. Western Blot analysis of CTNS expression in PC-12.



CTNS monoclonal antibody (M09), clone 5G6. Western Blot analysis of CTNS expression in HepG2.



CTNS monoclonal antibody (M09), clone 5G6. Western Blot analysis of CTNS expression in Raw 264.7.



Detection limit for recombinant GST tagged CTNS is approximately 0.3ng/ml as a capture antibody.

### CTNS Antibody (monoclonal) (M09) - Background

This gene encodes a seven-transmembrane domain protein that functions to transport cystine out of lysosomes. Its activity is driven by the H<sup>+</sup> electrochemical gradient of the lysosomal membrane. Mutations in this gene cause cystinosis, a lysosomal storage disorder. Alternative splicing results in multiple transcript variants.

### CTNS Antibody (monoclonal) (M09) - References

1.Modulation of CTNS Gene Expression By Intracellular Thiols.Bellomo F, Corallini S, Pastore A, Palma A, Laurenzi C, Emma F, Taranta A.Free Radic Biol Med. 2010 Jan 14. [Epub ahead of print]