

MKRN2 Antibody (monoclonal) (M01)**Mouse monoclonal antibody raised against a partial recombinant MKRN2.****Catalog # AT2876a****Specification**

MKRN2 Antibody (monoclonal) (M01) - Product Information

Application	WB, IF, E
Primary Accession	Q9H000
Other Accession	NM_014160
Reactivity	Human
Host	mouse
Clonality	Monoclonal
Isotype	IgG1 Kappa
Calculated MW	46940

MKRN2 Antibody (monoclonal) (M01) - Additional Information**Gene ID** 23609**Other Names**

Probable E3 ubiquitin-protein ligase makorin-2, 632-, RING finger protein 62, MKRN2, RNF62

Target/Specificity

MKRN2 (NP_054879, 317 a.a. ~ 415 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000

IF~~1:50~200

E~~N/A

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

MKRN2 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.


MKRN2 Antibody (monoclonal) (M01) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)

- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


MKRN2 Antibody (monoclonal) (M01) - Images




Immunofluorescence of monoclonal antibody to MKRN2 on HeLa cell. [antibody concentration 10 ug/ml]



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.63 KDa) .




MKRN2 monoclonal antibody (M01), clone 5F8 Western Blot analysis of MKRN2 expression in Hela S3 NE (Cat # AT2876a)




Western Blot analysis of MKRN2 expression in transfected 293T cell line by MKRN2 monoclonal antibody (M01), clone 5F8.

Lane 1: MKRN2 transfected lysate(46.9 KDa).
Lane 2: Non-transfected lysate.



Western blot analysis of MKRN2 over-expressed 293 cell line, cotransfected with MKRN2 Validated Chimera RNAi (Cat # AT2876a)



Detection limit for recombinant GST tagged MKRN2 is approximately 0.1ng/ml as a capture

antibody.

MKRN2 Antibody (monoclonal) (M01) - Background

Members of the makorin family, including MKRN2, have a characteristic zinc finger composition that suggests that they are ribonucleoproteins (Gray et al., 2001 [PubMed 11597136]).

MKRN2 Antibody (monoclonal) (M01) - References

The status, quality, and expansion of the NIH full-length cDNA project: the Mammalian Gene Collection (MGC). Gerhard DS, et al. Genome Res, 2004 Oct. PMID 15489334. Complete sequencing and characterization of 21,243 full-length human cDNAs. Ota T, et al. Nat Genet, 2004 Jan. PMID 14702039. Generation and initial analysis of more than 15,000 full-length human and mouse cDNA sequences. Strausberg RL, et al. Proc Natl Acad Sci U S A, 2002 Dec 24. PMID 12477932. Phylogenetic conservation of the makorin-2 gene, encoding a multiple zinc-finger protein, antisense to the RAF1 proto-oncogene. Gray TA, et al. Genomics, 2001 Oct. PMID 11597136. Cloning and functional analysis of cDNAs with open reading frames for 300 previously undefined genes expressed in CD34+ hematopoietic stem/progenitor cells. Zhang QH, et al. Genome Res, 2000 Oct. PMID 11042152.