

## PCAF Antibody (monoclonal) (M04)

Mouse monoclonal antibody raised against a partial recombinant PCAF. Catalog # AT3206a

# **Specification**

# PCAF Antibody (monoclonal) (M04) - Product Information

WB, IF Application **Primary Accession** 092831 Other Accession BC060823 Reactivity Human Host mouse Clonality **Monoclonal** Isotype IgG2a Kappa Calculated MW 93013

# PCAF Antibody (monoclonal) (M04) - Additional Information

### **Gene ID 8850**

### **Other Names**

Histone acetyltransferase KAT2B, Histone acetyltransferase PCAF, Histone acetylase PCAF, Lysine acetyltransferase 2B, P300/CBP-associated factor, P/CAF, KAT2B, PCAF

### Target/Specificity

PCAF (AAH60823, 353 a.a. ~ 452 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

# **Dilution**

WB~~1:500~1000 IF~~1:50~200

Clear, colorless solution in phosphate buffered saline, pH 7.2.

### Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

### **Precautions**

PCAF Antibody (monoclonal) (M04) is for research use only and not for use in diagnostic or therapeutic procedures.

# PCAF Antibody (monoclonal) (M04) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides




- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- Immunoprecipitation
- Flow Cytomety
- Cell Culture


# PCAF Antibody (monoclonal) (M04) - Images



Immunofluorescence of monoclonal antibody to PCAF on HeLa cell. [antibody concentration 10 ug/ml]




Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.63 KDa) .







PCAF monoclonal antibody (M04), clone 5E11. Western Blot analysis of PCAF expression in human uterus myoma.



PCAF monoclonal antibody (M04), clone 5E11. Western Blot analysis of PCAF expression in LNCaP ( (Cat # AT3206a )




PCAF monoclonal antibody (M04), clone 5E11 Western Blot analysis of PCAF expression in Hela S3 NE ( (Cat # AT3206a )



PCAF monoclonal antibody (M04), clone 5E11. Western Blot analysis of PCAF expression in A-431 ((Cat # AT3206a)





Detection limit for recombinant GST tagged PCAF is approximately 0.03ng/ml as a capture antibody.

# PCAF Antibody (monoclonal) (M04) - Background

CBP and p300 are large nuclear proteins that bind to many sequence-specific factors involved in cell growth and/or differentiation, including c-jun and the adenoviral oncoprotein E1A. The protein encoded by this gene associates with p300/CBP. It has in vitro and in vivo binding activity with CBP and p300, and competes with E1A for binding sites in p300/CBP. It has histone acetyl transferase activity with core histones and nucleosome core particles, indicating that this protein plays a direct role in transcriptional regulation.

# PCAF Antibody (monoclonal) (M04) - References

Personalized smoking cessation: interactions between nicotine dose, dependence and quit-success genotype score. Rose JE, et al. Mol Med, 2010 Jul-Aug. PMID 20379614. Acetylation of lysine 564 adjacent to the C-terminal binding protein-binding motif in EVI1 is crucial for transcriptional activation of GATA2. Shimahara A, et al. J Biol Chem, 2010 May 28. PMID 20363750. CARM1 activates myogenin gene via PCAF in the early differentiation of TPA-induced rhabdomyosarcoma-derived cells. Gao X, et al. J Cell Biochem, 2010 May. PMID 20213728. Regulation of Treg functionality by acetylation-mediated Foxp3 protein stabilization. van Loosdregt J, et al. Blood, 2010 Feb 4. PMID 19996091. Single nucleotide polymorphisms in miRNA binding sites and miRNA genes as breast/ovarian cancer risk modifiers in Jewish high-risk women. Kontorovich T, et al. Int J Cancer, 2010 Aug 1. PMID 19950226.