

SNAI2 Antibody (monoclonal) (M05)**Mouse monoclonal antibody raised against a partial recombinant SNAI2.****Catalog # AT3970a****Specification**

SNAI2 Antibody (monoclonal) (M05) - Product Information

Application	WB, IF
Primary Accession	O43623
Other Accession	NM_003068
Reactivity	Human, Mouse, Rat
Host	mouse
Clonality	Monoclonal
Isotype	IgG3 Kappa
Calculated MW	29986

SNAI2 Antibody (monoclonal) (M05) - Additional Information**Gene ID** 6591**Other Names**

Zinc finger protein SNAI2, Neural crest transcription factor Slug, Protein snail homolog 2, SNAI2, SLUG, SLUGH

Target/Specificity

SNAI2 (NP_003059, 97 a.a. ~ 169 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000

IF~~1:50~200

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

SNAI2 Antibody (monoclonal) (M05) is for research use only and not for use in diagnostic or therapeutic procedures.


SNAI2 Antibody (monoclonal) (M05) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)

- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


SNAI2 Antibody (monoclonal) (M05) - Images



Immunofluorescence of monoclonal antibody to SNAI2 on HepG2 cell. [antibody concentration 10 ug/ml]




Immunofluorescence of monoclonal antibody to SNAI2 on U-2 OS cell. [antibody concentration 10 ug/ml]




Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen


(33.77 KDa) .




SNAI2 monoclonal antibody (M05), clone 3C12. Western Blot analysis of SNAI2 expression in human liver.




SNAI2 monoclonal antibody (M05), clone 3C12. Western Blot analysis of SNAI2 expression in PC-12((Cat # AT3970a)



SNAI2 monoclonal antibody (M05), clone 3C12 Western Blot analysis of SNAI2 expression in HepG2 ((Cat # AT3970a)



SNAI2 monoclonal antibody (M05), clone 3C12. Western Blot analysis of SNAI2 expression in Raw 264.7((Cat # AT3970a)



SNAI2 monoclonal antibody (M05), clone 3C12. Western Blot analysis of SNAI2 expression in NIH/3T3((Cat # AT3970a)

SNAI2 Antibody (monoclonal) (M05) - Background

This gene encodes a member of the Snail family of C2H2-type zinc finger transcription factors. The encoded protein acts as a transcriptional repressor that binds to E-box motifs and is also likely to repress E-cadherin transcription in breast carcinoma. This protein is involved in epithelial-mesenchymal transitions and has antiapoptotic activity. Mutations in this gene may be associated with sporadic cases of neural tube defects.

SNAI2 Antibody (monoclonal) (M05) - References

Maternal genes and facial clefts in offspring: a comprehensive search for genetic associations in two population-based cleft studies from Scandinavia. Jugessur A, et al. PLoS One, 2010 Jul 9. PMID 20634891. SNAI2/Slug promotes growth and invasion in human gliomas. Yang HW, et al. BMC Cancer, 2010 Jun 17. PMID 20565806. Clinicopathologic significance of slug expression in human intrahepatic cholangiocarcinoma. Zhang KJ, et al. World J Gastroenterol, 2010 May 28. PMID 20503457. SLUG: a new target of lymphoid enhancer factor-1 in human osteoblasts. Lambertini E, et al. BMC Mol Biol, 2010 Feb 3. PMID 20128911. ERalpha signaling through slug regulates E-cadherin and EMT. Ye Y, et al. Oncogene, 2010 Mar 11. PMID 20101232.