10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

# DANRE mycl1a Antibody (N-term)
**Purified Rabbit Polyclonal Antibody (Pab)**
**Catalog # AW5508**

## Specification

### DANRE mycl1a Antibody (N-term) - Product Information

| | |
|---|---|
| Application | **WB,E** |
| Primary Accession | Q9PSI9 |
| Reactivity | **Zebrafish** |
| Host | **Rabbit** |
| Clonality | **Polyclonal** |
| Calculated MW | **Z=41 KDa** |
| Isotype | **Rabbit IgG** |
| Antigen Source | **HUMAN** |

### DANRE mycl1a Antibody (N-term) - Additional Information

**Gene ID** 405873

**Antigen Region**
80-113

**Other Names**
Protein L-Myc-1a, Protein L-Myc 1, zL-Myc, mycl1a {ECO:0000312|EMBL:AAH677231}, lmyc1, mycl1

**Dilution**
WB~~1:1000

**Target/Specificity**
This DANRE mycl1a antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 80-113 amino acids from the N-terminal region of DANRE mycl1a.

**Storage**
Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**
DANRE mycl1a Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

### DANRE mycl1a Antibody (N-term) - Protein Information

**Name** mycl1a {ECO:0000312|EMBL:AAH67723.1}

**Synonyms** lmyc1, mycl1

**Cellular Location**

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Nucleus {ECO:0000250|UniProtKB:P12524, ECO:0000255|PROSITE-ProRule:PRU00981}

**Tissue Location**
Uterus..

## DANRE mycl1a Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

## DANRE mycl1a Antibody (N-term) - Images




All lanes : Anti-DANRE mycl1a Antibody (N-term) at 1:1000 dilution Lane 1: Zebrafish muscle lysates Lane 2: Zebrafish lysates Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 41 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

## DANRE mycl1a Antibody (N-term) - References

Schreiber-Agus N.,et al.Mol. Cell. Biol. 13:2765-2775(1993).