

Zebrafish znf148 Antibody (Center)

Purified Rabbit Polyclonal Antibody (Pab) Catalog # Azb18713c

Specification

Zebrafish znf148 Antibody (Center) - Product Information

Application WB,E
Primary Accession A0MS83
Reactivity Zebrafish
Host Rabbit
Clonality Polyclonal
Isotype Rabbit IgG
Antigen Region 287-320

Zebrafish znf148 Antibody (Center) - Additional Information

Gene ID 560300

Other Names

Zinc finger protein 148, Transcription factor ZBP-89, Zinc finger DNA-binding protein 89, znf148, zbp89

Target/Specificity

This Zebrafish znf148 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 287-320 amino acids of zebrafish znf148.

Dilution

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

Zebrafish znf148 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

Zebrafish znf148 Antibody (Center) - Protein Information

Name znf148

Synonyms zbp89



Function Involved in transcriptional regulation. Represses the transcription of a number of genes. Required for primitive and definitive hematopoiesis during embryonic development.


Cellular Location Nucleus.

Zebrafish znf148 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Zebrafish znf148 Antibody (Center) - Images



Western blot analysis of lysates from zebrafish muscle, zebrafish tissue lysate (from left to right), using Zebrafish znf148 Antibody (Center) (Cat. #Azb18713c). Azb18713c was diluted at 1:1000 at each lane. A goat anti-rabbit IgG H&L (HRP) at 1:5000 dilution was used as the secondary antibody. Lysates at 35ug per lane.

Zebrafish znf148 Antibody (Center) - Background

Involved in transcriptional regulation. Represses the transcription of a number of genes. Required for primitive and definitive hematopoiesis during embryonic development.

Zebrafish znf148 Antibody (Center) - References

Li X.,et al.Development 133:3641-3650(2006). Howe K.,et al.Nature 496:498-503(2013).