

#### **Animal-Free Recombinant Murine IL-3**

Catalog # PBG10529

# **Specification**

#### Animal-Free Recombinant Murine IL-3 - Product Information

#### Animal-Free Recombinant Murine IL-3 - Additional Information

## **Description**

IL-3 is a hematopoietic growth factor that promotes the survival, differentiation and proliferation of committed progenitor cells of the megakaryocyte, granulocyte-macrophage, erythroid, eosinophil, basophil and mast cell lineages. Produced by T cells, mast cells and eosinophils, IL-3 enhances thrombopoieses, phagocytosis, and antibody-mediated cellular cytotoxicity. Its ability to activate monocytes suggests that IL-3 may have additional immunoregulatory roles. Many of the IL-3 activities depend upon co-stimulation with other cytokines. IL-3 is species-specific, variably glycosylated cytokine. Recombinant murine IL-3 is a 15.1 kDa globular protein containing 135 amino acid residues.

# **Biological**Activity

The ED<sub>50</sub> as determined by the dose-dependent stimulation of the proliferation of murine NFS-60 cells is  $\leq$  0.05 ng/ml, corresponding to a specific activity of  $\geq$  2 x 10<sup>7</sup> units/mg.

#### **Authenticity**

Verified by N-terminal and Mass Spectrometry analyses (when applicable).

#### **Endotoxin**

Endotoxin level is  $<0.1 \text{ ng}/\mu\text{g}$  of protein ( $<1\text{EU}/\mu\text{g}$ ).

### **Protein Content**

Verified by UV Spectroscopy and/or SDS-PAGE gel.

## Storage

-20°C

# **Precautions**

Animal-Free Recombinant Murine IL-3 is for research use only and not for use in diagnostic or therapeutic procedures.

# **Animal-Free Recombinant Murine IL-3 - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence





• Immunoprecipitation

- Flow CytometyCell Culture

**Animal-Free Recombinant Murine IL-3 - Images**