

Goat anti-LIMP2 / SCARB2, Biotinylated Antibody
Peptide-affinity purified goat antibody
Catalog # AF4396a**Specification**

Goat anti-LIMP2 / SCARB2, Biotinylated Antibody - Product Information

Application	WB, IHC, Pep-ELISA
Primary Accession	Q14108
Other Accession	NP_005497.1
Reactivity	Human, Mouse
Host	Goat
Clonality	Polyclonal
Calculated MW	54290

Goat anti-LIMP2 / SCARB2, Biotinylated Antibody - Additional Information**Gene ID** 950**Other Names**

SCARB2; scavenger receptor class B member 2; AMRF; CD36L2; EPM4; HLGP85; LGP85; LIMP-2; LIMP2; SR-BII; 85 kDa lysosomal membrane sialoglycoprotein; 85 kDa lysosomal sialoglycoprotein scavenger receptor class B, member 2; CD36 antigen (collagen type I rec

Dilution

WB~~1:1000
IHC~~1:100~500
Pep-ELISA~~N/A

Format

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. Aliquot and store at -20°C. Minimize freezing and thawing.

Immunogen

This antibody is expected to recognize reported isoform 1 (NP_005497.1) only.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

Goat anti-LIMP2 / SCARB2, Biotinylated Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Goat anti-LIMP2 / SCARB2, Biotinylated Antibody - Protein Information**Name** SCARB2

Synonyms CD36L2, LIMP2, LIMP2

Function

Acts as a lysosomal receptor for glucosylceramidase (GBA1) targeting.

Cellular Location

Lysosome membrane; Multi-pass membrane protein

Goat anti-LIMP2 / SCARB2, Biotinylated Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Goat anti-LIMP2 / SCARB2, Biotinylated Antibody - Images