

GFAP (Astrocyte & Neural Stem Cell Marker) Antibody - With BSA and Azide

Mouse Monoclonal Antibody [Clone GA-5 + ASTRO/789] Catalog # AH11293

Specification

GFAP (Astrocyte & Neural Stem Cell Marker) Antibody - With BSA and Azide - Product Information

Application WB, IHC, IF, FC

Primary Accession P14136

Other Accession <u>2670</u>, <u>514227</u>

Reactivity Human, Mouse, Rat, Rabbit, Pig, Chicken,

Bovine Mouse Monoclonal Mouse / IgG's

Clonality Isotype

Host

Calculated MW ~50kDa KDa

GFAP (Astrocyte & Neural Stem Cell Marker) Antibody - With BSA and Azide - Additional Information

Gene ID 2670

Other Names

Glial fibrillary acidic protein, GFAP, GFAP

Application Note

WB~~1:1000<br \><span class</pre>

="dilution_IHC">IHC \sim 1:100 \sim 500<br \><span class

="dilution $IF">IF~\sim 1:50\sim 200
span class = "dilution FC">FC~\sim 1:10~50$

Storage

Store at 2 to 8°C. Antibody is stable for 24 months.

Precautions

GFAP (Astrocyte & Neural Stem Cell Marker) Antibody - With BSA and Azide is for research use only and not for use in diagnostic or therapeutic procedures.

GFAP (Astrocyte & Neural Stem Cell Marker) Antibody - With BSA and Azide - Protein Information

Name GFAP

Function

GFAP, a class-III intermediate filament, is a cell-specific marker that, during the development of the central nervous system, distinguishes astrocytes from other glial cells.

Cellular Location

Cytoplasm. Note=Associated with intermediate filaments



Tissue Location


Expressed in cells lacking fibronectin.

GFAP (Astrocyte & Neural Stem Cell Marker) Antibody - With BSA and Azide - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

GFAP (Astrocyte & Neural Stem Cell Marker) Antibody - With BSA and Azide - Images




Formalin-fixed, paraffin-embedded human Cerebellum stained with GFAP Monoclonal Antibody (GA-5 + ASTRO/789).



Formalin-fixed, paraffin-embedded Rat Cerebellum stained with GFAP Monoclonal Antibody (GA-5 + ASTRO/789).





Formalin-fixed, paraffin-embedded human Schwanoma stained with GFAP Monoclonal Antibody (GA-5 + ASTRO/789).

GFAP (Astrocyte & Neural Stem Cell Marker) Antibody - With BSA and Azide - Background

This MAb recognizes a protein of ~50kDa which is identified as Glial Fibrillary Acidic Protein (GFAP). It shows no cross-reaction with other intermediate filament proteins. GFAP is specifically found in astroglia. GFAP is a very popular marker for localizing benign astrocyte and neoplastic cells of glial origin in the central nervous system. Antibody to GFAP is useful in differentiating primary gliomas from metastatic lesions in the brain and for documenting astrocytic differentiation in tumors outside the CNS.

GFAP (Astrocyte & Neural Stem Cell Marker) Antibody - With BSA and Azide - References

McLendon, R.E. and Bigner, D.D. 1994. Immunohistochemistry of the glial fibrillary acidic protein: basic and applied considerations. Brain Pathol. 4: 221-228.