

B2M / Beta 2 Microglobulin Antibody (clone 2213)
Mouse Monoclonal Antibody
Catalog # ALS12181**Specification**

B2M / Beta 2 Microglobulin Antibody (clone 2213) - Product Information

Application	IHC-P, E
Primary Accession	P61769
Reactivity	Human
Host	Mouse
Clonality	Monoclonal
Calculated MW	14kDa KDa
Dilution	IHC-P~~N/A E~~N/A

B2M / Beta 2 Microglobulin Antibody (clone 2213) - Additional Information**Gene ID** 567**Other Names**

Beta-2-microglobulin, Beta-2-microglobulin form pl 5.3, B2M

Target/Specificity

Specific for human beta 2 microglobulin. B2M is the beta chain of MHC class I molecules. The precursor protein has a molecular weight of approximately 14 kD and is 119 amino acids in length.

Reconstitution & Storage

+4°C or -20°C, Avoid repeated freezing and thawing.

Precautions

B2M / Beta 2 Microglobulin Antibody (clone 2213) is for research use only and not for use in diagnostic or therapeutic procedures.

B2M / Beta 2 Microglobulin Antibody (clone 2213) - Protein Information**Name** B2M ([HGNC:914](#))**Function**

Component of the class I major histocompatibility complex (MHC). Involved in the presentation of peptide antigens to the immune system. Exogenously applied M.tuberculosis EsxA or EsxA-EsxB (or EsxA expressed in host) binds B2M and decreases its export to the cell surface (total protein levels do not change), probably leading to defects in class I antigen presentation (PubMed:25356553).

Cellular Location


Secreted. Cell surface. Note=Detected in serum and urine (PubMed:1336137, PubMed:7554280). {ECO:0000269|PubMed:7554280, ECO:0000269|Ref.6}

B2M / Beta 2 Microglobulin Antibody (clone 2213) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

B2M / Beta 2 Microglobulin Antibody (clone 2213) - Images



Anti-B2M antibody IHC of human liver.



Anti-B2M antibody IHC of human skin.

B2M / Beta 2 Microglobulin Antibody (clone 2213) - Background

Component of the class I major histocompatibility complex (MHC). Involved in the presentation of peptide antigens to the immune system.

B2M / Beta 2 Microglobulin Antibody (clone 2213) - References

Guessow D., et al. J. Immunol. 139:3132-3138(1987).

He X.H.,et al.Sheng Wu Gong Cheng Xue Bao 20:99-103(2004).
Matsumoto K.,et al.Submitted (DEC-1998) to the EMBL/GenBank/DDBJ databases.
Tan J.,et al.Submitted (SEP-2005) to the EMBL/GenBank/DDBJ databases.
Zhao Z.,et al.Submitted (JUN-1998) to the EMBL/GenBank/DDBJ databases.