

CHRM4 / M4 Antibody (aa236-285)
Rabbit Polyclonal Antibody
Catalog # ALS15807**Specification**

CHRM4 / M4 Antibody (aa236-285) - Product Information

Application	IHC-P, IF, E
Primary Accession	P08173
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	53kDa KDa
Dilution	IHC-P~~N/A IF~~1:50~200 E~~N/A

CHRM4 / M4 Antibody (aa236-285) - Additional Information**Gene ID** 1132**Other Names**

Muscarinic acetylcholine receptor M4, CHRM4

Target/Specificity

CHRM4 Antibody detects endogenous levels of total CHRM4 protein.

FormatPBS (without Mg²⁺, Ca²⁺), pH 7.4, 150 mM sodium chloride, 0.02% sodium azide, 50% glycerol**Reconstitution & Storage**

Store at -20°C for up to one year.

Precautions

CHRM4 / M4 Antibody (aa236-285) is for research use only and not for use in diagnostic or therapeutic procedures.

CHRM4 / M4 Antibody (aa236-285) - Protein Information**Name** CHRM4**Function**

The muscarinic acetylcholine receptor mediates various cellular responses, including inhibition of adenylate cyclase, breakdown of phosphoinositides and modulation of potassium channels through the action of G proteins. Primary transducing effect is inhibition of adenylate cyclase.


Cellular Location

Cell membrane; Multi-pass membrane protein. Postsynaptic cell membrane; Multi-pass membrane protein


Volume
Array**CHRM4 / M4 Antibody (aa236-285) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

CHRM4 / M4 Antibody (aa236-285) - Images

Anti-CHRM4 / M4 antibody IHC staining of human testis.



Immunofluorescence of LOVO cells, using CHRM4 Antibody.

CHRM4 / M4 Antibody (aa236-285) - Background

The muscarinic acetylcholine receptor mediates various cellular responses, including inhibition of adenylate cyclase, breakdown of phosphoinositides and modulation of potassium channels through the action of G proteins. Primary transducing effect is inhibition of adenylate cyclase.

CHRM4 / M4 Antibody (aa236-285) - References

- Bonner T.I., et al. Science 237:527-532(1987).
Bonner T.I., et al. Neuron 1:403-410(1988).
Peralta E.G., et al. EMBO J. 6:3923-3929(1987).
Puhl H.L. III, et al. Submitted (APR-2002) to the EMBL/GenBank/DDBJ databases.
Mural R.J., et al. Submitted (SEP-2005) to the EMBL/GenBank/DDBJ databases.

