

LDLRAD2 Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP12590C**Specification**

LDLRAD2 Antibody (Center) - Product Information

Application	FC, WB,E
Primary Accession	Q5SZI1
Other Accession	NP_001013715.2
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	28581
Antigen Region	132-160

LDLRAD2 Antibody (Center) - Additional Information**Gene ID** 401944**Other Names**

Low-density lipoprotein receptor class A domain-containing protein 2, LDLRAD2

Target/Specificity

This LDLRAD2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 132-160 amino acids from the Central region of human LDLRAD2.

Dilution

FC~~1:10~50

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

LDLRAD2 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

LDLRAD2 Antibody (Center) - Protein Information**Name** LDLRAD2


Cellular Location

Membrane; Single-pass type I membrane protein.


LDLRAD2 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

LDLRAD2 Antibody (Center) - Images

LDLRAD2 Antibody (Center) (Cat. #AP12590c) western blot analysis in HeLa cell line lysates (35ug/lane). This demonstrates the LDLRAD2 antibody detected the LDLRAD2 protein (arrow).



LDLRAD2 Antibody (Center) (Cat. #AP12590c) flow cytometric analysis of HeLa cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

LDLRAD2 Antibody (Center) - Background

The exact functions of this protein remain unknown.

LDLRAD2 Antibody (Center) - References

Strausberg, R.L., et al. Proc. Natl. Acad. Sci. U.S.A. 99(26):16899-16903(2002)