

Peroxiredoxin 3 Antibody
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP51445**Specification**

Peroxiredoxin 3 Antibody - Product Information

Application	WB, ICC, IHC-P, E
Primary Accession	P30048
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	26 KDa

Peroxiredoxin 3 Antibody - Additional Information**Gene ID** 10935**Other Names**

Thioredoxin-dependent peroxide reductase, mitochondrial, Antioxidant protein 1, AOP-1, HBC189, Peroxiredoxin III, Prx-III, Peroxiredoxin-3, Protein MER5 homolog, PRDX3, AOP1

Dilution

WB~~1:1000
ICC~~N/A
IHC-P~~N/A
E~~N/A

Format

0.01M PBS, pH 7.2, 0.09% (W/V) Sodium azide, Glycerol 50%

Storage

Store at -20 °C. Stable for 12 months from date of receipt

Peroxiredoxin 3 Antibody - Protein Information**Name** PRDX3**Synonyms** AOP1**Function**

Thiol-specific peroxidase that catalyzes the reduction of hydrogen peroxide and organic hydroperoxides to water and alcohols, respectively. Plays a role in cell protection against oxidative stress by detoxifying peroxides (PubMed: [17707404](http://www.uniprot.org/citations/17707404)), PubMed: [29438714](http://www.uniprot.org/citations/29438714)), PubMed: [33889951](http://www.uniprot.org/citations/33889951)), PubMed: [7733872](http://www.uniprot.org/citations/7733872)). Acts synergistically with MAP3K13 to regulate the activation of NF-kappa-B in the cytosol (PubMed: [12492477](http://www.uniprot.org/citations/12492477))

target="_blank">12492477). Required for the maintenance of physical strength (By similarity).

Cellular Location

Mitochondrion. Cytoplasm. Early endosome. Note=Localizes to early endosomes in a RPS6KC1-dependent manner.

Peroxiredoxin 3 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Peroxiredoxin 3 Antibody - Images**Peroxiredoxin 3 Antibody - Background**

Involved in redox regulation of the cell. Protects radical-sensitive enzymes from oxidative damage by a radical-generating system. Acts synergistically with MAP3K13 to regulate the activation of NF-kappa-B in the cytosol.

Peroxiredoxin 3 Antibody - References

Tsuji K., et al. Biochem. J. 307:377-381(1995).
Ota T., et al. Nat. Genet. 36:40-45(2004).
Ebert L., et al. Submitted (MAY-2004) to the EMBL/GenBank/DDBJ databases.
Kalnine N., et al. Submitted (OCT-2004) to the EMBL/GenBank/DDBJ databases.
Deloukas P., et al. Nature 429:375-381(2004).