

Glut3 Polyclonal Antibody
Catalog # AP70112**Specification**

Glut3 Polyclonal Antibody - Product Information

Application	WB, IHC-P
Primary Accession	P11169
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal

Glut3 Polyclonal Antibody - Additional Information**Gene ID** 6515**Other Names**

SLC2A3; GLUT3; Solute carrier family 2; facilitated glucose transporter member 3; Glucose transporter type 3, brain; GLUT-3

Dilution

WB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/10000. Not yet tested in other applications.

IHC-P~~N/A

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

Glut3 Polyclonal Antibody - Protein Information**Name** SLC2A3 ([HGNC:11007](#))**Function**

Facilitative glucose transporter (PubMed:26176916, PubMed:32860739, PubMed:9477959). Can also mediate the uptake of various other monosaccharides across the cell membrane (PubMed:26176916, PubMed:9477959). Mediates the uptake of glucose, 2- deoxyglucose, galactose, mannose, xylose and fucose, and probably also dehydroascorbate (PubMed:26176916, PubMed:9477959). Does not mediate fructose transport (PubMed:26176916, PubMed:9477959). Required for mesendoderm differentiation (By similarity).

Cellular Location

Cell membrane; Multi-pass membrane protein. Perikaryon {ECO:0000250|UniProtKB:Q07647}. Cell projection {ECO:0000250|UniProtKB:Q07647}. Note=Localized to densely spaced patches along neuronal processes. {ECO:0000250|UniProtKB:Q07647}


Tissue Location


Highly expressed in brain (PubMed:8457197). Expressed in many tissues.

Glut3 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Glut3 Polyclonal Antibody - Images



Glut3 Polyclonal Antibody - Background

Facilitative glucose transporter that can also mediate the uptake of various other monosaccharides across the cell membrane (PubMed:9477959, PubMed:26176916). Mediates the uptake of glucose, 2-deoxyglucose, galactose, mannose, xylose and fucose, and probably also dehydroascorbate (PubMed:9477959, PubMed:26176916). Does not mediate fructose transport (PubMed:9477959, PubMed:26176916).