

## FARSA Antibody (N-term)

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP7566a

### **Specification**

## FARSA Antibody (N-term) - Product Information

Application IHC-P, WB,E Primary Accession Q9Y285

Other Accession Q505J8, Q8C0C7

Reactivity
Predicted
Host
Clonality
Isotype
Calculated MW
Antigen Region

Human
Mouse, Rat
Rabbit
Rabbit
Polyclonal
Rabbit IgG
57564
S4-83

# FARSA Antibody (N-term) - Additional Information

#### **Gene ID 2193**

### **Other Names**

Phenylalanine--tRNA ligase alpha subunit, CML33, Phenylalanyl-tRNA synthetase alpha subunit, PheRS, FARSA, FARSL, FARSLA

# Target/Specificity

This FARSA antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 54-83 amino acids from the N-terminal region of human FARSA.

#### **Dilution**

IHC-P~~1:10~50 WB~~1:1000

E~~Use at an assay dependent concentration.

#### **Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

#### Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

## **Precautions**

FARSA Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

### FARSA Antibody (N-term) - Protein Information



### **Name FARSA**

Synonyms FARS, FARSL, FARSLA


**Cellular Location**Cytoplasm {ECO:0000250|UniProtKB:Q505J8}.

# FARSA Antibody (N-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

# FARSA Antibody (N-term) - Images



Western blot analysis of anti-FARSA Pab (Cat.#AP7566a) in K562 cell line lysates (35ug/lane).FARSA (arrow) was detected using the purified Pab.



Formalin-fixed and paraffin-embedded human lung carcinoma tissue reacted with FARSA antibody (N-term) (Cat.#AP7566a), which was peroxidase-conjugated to the secondary antibody,



Tel: 858.875.1900 Fax: 858.875.1999

followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.

# FARSA Antibody (N-term) - Background

Aminoacyl-tRNA synthetases are a class of enzymes that charge tRNAs with their cognate amino acids. FARSA is similar to the catalytic subunit of prokaryotic and Saccharomyces cerevisiae phenylalanyl-tRNA synthetases (PheRS). This protein has been shown to be expressed in a tumor-selective and cell cycle stage- and differentiation-dependent manner, the first member of the tRNA synthetase gene family shown to exhibit this type of regulated expression.

# FARSA Antibody (N-term) - References

Gevaert, K., Nat. Biotechnol. 21 (5), 566-569 (2003) Moor, N., Protein Expr. Purif. 24 (2), 260-267 (2002) Sen, S., Proc. Natl. Acad. Sci. U.S.A. 94 (12), 6164-6169 (1997)