

**Anti-TNFRSF5 / CD40 Reference Antibody (dacetuzumab)
Recombinant Antibody
Catalog # APR10027****Specification**

Anti-TNFRSF5 / CD40 Reference Antibody (dacetuzumab) - Product Information

Application	FC, Kinetics, Animal Model
Primary Accession	P25942
Reactivity	Human
Clonality	Monoclonal
Isotype	IgG1
Calculated MW	145 KDa


Anti-TNFRSF5 / CD40 Reference Antibody (dacetuzumab) - Additional Information**Target/Specificity**
TNFRSF5 / CD40**Endotoxin**
< 0.001EU/ µg,determined by LAL method.**Conjugation**
Unconjugated**Expression system**
CHO Cell**Format**
Purified monoclonal antibody supplied in PBS, pH6.0, without preservative.This antibody is purified through a protein A column.**Anti-TNFRSF5 / CD40 Reference Antibody (dacetuzumab) - Protein Information****Name** CD40**Synonyms** TNFRSF5**Function**
Receptor for TNFSF5/CD40LG (PubMed:31331973). Transduces TRAF6- and MAP3K8-mediated signals that activate ERK in macrophages and B cells, leading to induction of immunoglobulin secretion (By similarity).**Cellular Location**
[Isoform I]: Cell membrane; Single-pass type I membrane protein**Tissue Location**
B-cells and in primary carcinomas.

Anti-TNFRSF5 / CD40 Reference Antibody (dacetuzumab) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


Anti-TNFRSF5 / CD40 Reference Antibody (dacetuzumab) - Images




Anti-TNFRSF5 / CD40 Reference Antibody (dacetuzumab) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 90%



The purity of Anti-TNFRSF5 / CD40 Reference Antibody (dacetuzumab) is more than 95%, determined by SEC-HPLC.



Immobilized human TNFRSF5 / CD40 His at 2 µg/mL can bind Anti-TNFRSF5 / CD40 Reference Antibody (dacetuzumab) $EC_{50}=0.0092$ µg/mL.



Human CD40 CHO cells were stained with Anti-TNFRSF5 / CD40 Reference Antibody (dacetuzumab) and negative control protein respectively, washed and then followed by PE and analyzed with FACS, $EC_{76}=0.7412$ µg/mL