

**Anti-VEGF Reference Antibody (BioMab patent anti-VEGF)
Recombinant Antibody
Catalog # APR10217****Specification**

Anti-VEGF Reference Antibody (BioMab patent anti-VEGF) - Product Information

Application	FC, Kinetics, Animal Model
Primary Accession	P15692
Reactivity	Human, Mouse
Clonality	Monoclonal
Isotype	IgG1
Calculated MW	146.5 KDa

Anti-VEGF Reference Antibody (BioMab patent anti-VEGF) - Additional Information**Target/Specificity**
VEGF**Endotoxin**
< 0.001EU/ µg,determined by LAL method.**Conjugation**
Unconjugated**Expression system**
CHO Cell**Format**
Purified monoclonal antibody supplied in PBS, pH6.0, without preservative.This antibody is purified through a protein A column.**Anti-VEGF Reference Antibody (BioMab patent anti-VEGF) - Protein Information****Name** VEGFA**Synonyms** VEGF**Function**
[N-VEGF]: Participates in the induction of key genes involved in the response to hypoxia and in the induction of angiogenesis such as HIF1A (PubMed:35455969). Involved in protecting cells from hypoxia- mediated cell death (By similarity).**Cellular Location**
[N-VEGF]: Cytoplasm. Nucleus. Note=Cytoplasmic in normoxic conditions and localizes to the nucleus under hypoxic conditions [Isoform L-VEGF189]: Endoplasmic reticulum. Golgi apparatus. Secreted, extracellular space, extracellular matrix [Isoform VEGF165]: Secreted

Tissue Location


Higher expression in pituitary tumors than the pituitary gland. [Isoform VEGF165]: Widely expressed. [Isoform VEGF206]: Not widely expressed.

Anti-VEGF Reference Antibody (BioMab patent anti-VEGF) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


Anti-VEGF Reference Antibody (BioMab patent anti-VEGF) - Images




Anti-VEGF Reference Antibody (BioMab patent anti-VEGF) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 95%



The purity of Anti-VEGF Reference Antibody (BioMab patent anti-VEGF) is more than 97.8%, determined by SEC-HPLC.



Immobilized human VEGF165 His at 2 µg/mL can bind Anti-VEGF Reference Antibody (BioMab patent anti-VEGF) $EC_{50}=0.003018$ µg/mL



Bevacizumab inhibited the tumor growth of COLO205 on balb/c nude mice. The result showed significant anti-tumor effects, with an tumor inhibition rate (TGI) of 42.0% at 0.95 mpk at D31.