

Anti-Mouse IgM (mu chain) (Biotin Conjugated) Secondary Antibody

Goat Polyclonal, Biotin Catalog # ASR2737

Specification

Anti-Mouse IgM (mu chain) (Biotin Conjugated) Secondary Antibody - Product Information

Description Anti-MOUSE IgM (mu chain) (GOAT)

Antibody Biotin Conjugated

Host Goat Conjugate Biotin

FP Value
Target Species
Clonality
Application

10-20 moles Biotin per mole of IgG
Mouse
Polyclonal
WB, E, IC

Application Note ELISA 1:10,000-1:50,000; Western Blot 1:2,000-1:10,000; Immunochemistry

1:1,000-1:5,000

Physical State
Host Isotype
Lyophilized
IgG

Target Isotype IgM μ chain

Buffer 0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2 Mouse IgM mu heavy chain

Reconstitution Volume 1.0 mL

Reconstitution Buffer Restore with deionized water (or

equivalent)

Stabilizer 10 mg/mL Bovine Serum Albumin (BSA) -

Immunoglobulin and Protease free

Preservative 0.01% (w/v) Sodium Azide

Anti-Mouse IgM (mu chain) (Biotin Conjugated) Secondary Antibody - Additional Information

Shipping Condition

Ambient

Immunogen

Purity

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Mouse IgM coupled to agarose beads followed by solid phase adsorption(s) to remove unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti-Goat Serum, Mouse IgM and Mouse Serum. No reactivity was observed against other mouse heavy or light chain proteins.

Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.



Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Anti-Mouse IgM (mu chain) (Biotin Conjugated) Secondary Antibody - Protein Information

Anti-Mouse IgM (mu chain) (Biotin Conjugated) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-Mouse IgM (mu chain) (Biotin Conjugated) Secondary Antibody - Images